The Octopus (age 3-12 years) Ref. KZM2000-2









C/ Foia. 13 P.I. Alquería de Moret 46210 Picanya (Valencia)



+34 963 313 677





The company reserves the right to perform any modification or change in their products.

Technical information

Animal: Build in polyester painted by mass, with gel-coat of predominant colour and anti-graffiti treatment.

Swing chains: On galvanized steel.

Swing seats: Made in injected rubber with aluminium core.

Climbing holds: Made in latest generation polyurethane with rugged finish.

Slide: single piece of polyethylene.

Platforms: phenolic boards, wisa-multifloor, 18 mm. of thickness.

Screws: On galvanized steel.

Bindings: In polyester with fiberglass reinforcement. to screw on foundation.

Technical data.

Assembly: 2 pers. 2 hours.

Total high: 3,50 m. Free fall height: 1,30 m.

Safety area: according to project

and installed games

Biggest element dimensions: 2,95 m. Spare parts disponibility: 3 years.

Option 2 includes:

- -Complete head with slide of 130 and climbing net x1
- -Large arch climbing net with bar for double swings or nest swing x1
- -Large bow double swing or nest swing x1
- -Half arch slide x1
- -Mini arch at ground level x1
- -Vertical tentacle end x2



SERIE SPECIAL PROJECTS

The Octopus (age 3-12 years)

Total safety area: Varies according to project. Maximum dimensions (m.)











C/ Foia, 13 P.I. Alquería de Moret 46210 Picanya (Valencia)



+34 963 313 677



kiwiplaygrounds.com

The company reserves the right to perform any modification or change in their products.

15,00 m.




The Octopus (age 3-12 years)

SERIE

Maximum dimensions (m.)





20,50







2,30

C/ Foia, 13 P.I. Alquería de Moret 46210 Picanya (Valencia)



+34 963 313 677



a kiwi@kiwipw.com



The company reserves the right to perform any modification or change in their products.



15,00



The Octopus (age 3-12 years) Ref. KZM2000-2



Maintenance.

-Check: All fixing points. Screws and bolts must be periodically checked, then tightened and adjusted if necessary. The checking date must be annotated in order to establish a control.

Inspections.

- -Routine Inspection: A visual and functional inspection must be carried out every 3 months in order to check that the module has suffered no harm due to vandalish or mishandling.
- -Yearly Inspection: A full inspection of the entire installation must be done to check that it keeps all norm standards and has suffered no alterations.

Installation.

Anchored to the floor with expansion bolts. Finished with compacted material coating either continuous wet-pour rubber surfacing or rubber tiles.

playgrounds

C/Foia, 13 P.I. Alguería de Moret 46210 Picanya (Valencia)








The company reserves the right to perform any modification or change in their products.

Foundation dimensions.

21 m.



Anchoring detail

- 1 Animal.
- 2 Tab.
- 3 Playing surface.
- 4 Rubber.
- 5 Foundation's upper layer.
- 6 Foundation.