



Little black sheep (age 3-6 years)  
Ref. KP4025

Last check 07/03/2016

Pag. 1/3

EN-1176-1:2009



**SEESAWS**



## Little black sheep (age 3-6 years)

Ref. KP4025

Last check 07/03/2016

Pag. 2/3

EN-1176-1:2009



### Technical information.

**Animal:** Main body made of polyester, painted by mass, with geal-coat of predominant color and anti-graffiti treatment.

**Structure:** Internal frame made of steel to be anchored to the spring.

**Spring:** Standard made of steel s/norm UNE1176 with thermosetting polyester coating.

**Bindings:** Made in galvanized steel to be anchored on concrete deck.

### Technical data.

**Assembly:** 1 pers. 1/2 hours.

**Weight:** 30 Kg.

**Total height:** 0,80 m.

**Free fall height:** 0,55 m.

**Safety area:** 7,8 m<sup>2</sup>.

**Biggest piece dimension:** 0,86 m.

**Spare pieces availability:** 3 years.

### For further information.

Contact us.

KIWI PLAYGROUNDS & WOODS.

C/ Foia, 13 P.I. Alqueria de Moret


46210 Picanya (Valencia)

Tel. +34 963 313 677


E-mail: [kiwi@kiwipw.com](mailto:kiwi@kiwipw.com)

Web: [www.kiwipw.com](http://www.kiwipw.com)


The company reserves its right to apply any modifications or changes to their products.



General dimensions  
(in millimeters)




SEESAWS



Anchoring detail

Dimensions for the concrete slab.



**Installation.**

Anchored to the floor with expansion bolts. Finished with compacted material coating either continuous wet-pour rubber surfacing or rubber tiles.

**Maintenance.**

-Check: All fixing points, screws and bolts must be periodically checked and they will be tightened and adjusted again if necessary. The checking date must be annotated in order to establish a control.

**Inspections.**

-Routine Inspection: A visual and functional inspection must be carried out every 3 months in order to check that the module has not suffered any harm due to vandalism or mishandling.

-Yearly Inspection: A full inspection of the installation as a whole must be done in order to check that it keeps all norm standards and that it has not suffered any alterations.

Spring anchoring detail

