



The Whale (age 3-12 years)

Ref. KZM1000

Last check may/2019

Page 1/3

EN-1176-1: 1/7



SERIE
ANiMALS
SERIES

special projects

Technical information

Animal: Build in polyester painted by mass, with gel-coat of predominant colour and anti-graffiti treatment.

Structure: Internal build in galvanized steel pipe.

Platforms: Stepable zone realized in high resistance continuous wet-pour rubber surfacing (EPDM).

Screws: On galvanized steel.

Anchoring: Galvanized steel for mounting on concrete foundation.

Technical data:

Assembly: 4 pers. 4 hours.

Total high: 2,40 m.

Free fall height: 1,50 m.

Dimensions: 7,7 x 2,45 x h2,4 m.

Safety area: 61,50 m²

Biggest element dimensions: 3,40 m.

Spare parts disponibility: 3 years.



C/ Foia, 13
P.I. Alqueria
de Moret
46210 Picanya
(Valencia)



+34 963 313 677




@ kiwi@kiwipw.com



kiwiplaygrounds.com

The company reserves
the right to perform
any modification or
change in their products.



MULTIGAMES THEMED AREAS




SERIE
ANiMALS
SERIES


special projects

Note

The separation and orientation of the two elements, head, and body, may vary, as long as the necessary security areas of each element do not conflict. Consult possible alternatives.



General dimensions (m.).



C/ Foia, 13
P.I. Alquería
de Moret
46210 Picanya
(Valencia)



+34 963 313 677



kiwi@kiwipw.com



kiwiplaygrounds.com

The company reserves
the right to perform
any modification or
change in their products.



SERIE
ANiMALS
SERIES

special projects



C/ Foia, 13
P.I. Alqueria
de Moret
46210 Picanya
(Valencia)



+34 963 313 677




kiwi@kiwipw.com



kiwiplaygrounds.com

The company reserves
the right to perform
any modification or
change in their products.

Foundation dimensions for a straight distribution
of the elements.
For other distributions, consult us.



Installation.

Anchored to the floor with expansion bolts. Finished with compacted material coating either continuous wet-pour rubber surfacing or rubber tiles.

Maintenance.


-Check: All fixing points. Screws and bolts must be periodically checked, then tightened and adjusted if necessary. The checking date must be annotated in order to establish a control.

Inspections.

-Routine Inspection: A visual and functional inspection must be carried out every 3 months in order to check that the module has suffered no harm due to vandalism or mishandling.

-Yearly Inspection: A full inspection of the entire installation must be done to check that it keeps all norm standards and has suffered no alterations.

Anchoring detail



1 Animal.
2 Tab.
3 Playing surface.

4 Rubber.
5 Foundation's upper layer.
6 Foundation.