

Last check, nov. 2019

EN-1176

Ref. KZM2000-3

Special projects

SERIE

Page. 1

Technical information

Animal: Build in polyester painted by mass, with gel-coat of predominant colour and anti-graffiti treatment.

Swing chains: On galvanized steel.

Swing seats: Made in injected rubber with aluminium core.

Climbing holds: Made in latest generation polyurethane with rugged finish. **Slide:** single piece of polyethylene.

Platforms: phenolic boards, wisa-multifloor, 18 mm. of thickness.

Screws: On galvanized steel.

Bindings: In polyester with fiberglass reinforcement. to screw on foundation.

Technical data.

Assembly: 2 pers. 2 hours. Total high: 3,50 m. Free fall height: 1,30 m. Safety area: according to project and installed games Biggest element dimensions: 2,95 m. Spare parts disponibility: 3 years.

Option 3 includes:

-Complete head with slide of 130 and climbing net x1 -Large arch climbing net with bar for double swings or nest swing x1

- -Large bow double swing or nest swing x1
- -Medium climbing wall x1
- -Half arch slide x1
- -Mini arch at ground level x3
- -Vertical tentacle end x2

Σ **.TIGAMES**





(a)

The company reserves the right to perform any modification or change in their products.

playgrounds

C/ Foia, 13

de Moret

P.I. Alquería

46210 Picanya (Valencia)

+34 963 313 677

kiwi@kiwipw.com





The Octopus (age 3-12 years)

SERIES



EMED AREA

IGAM

100 mm.

Maintenance.

-Check: All fixing points. Screws and bolts must be periodically checked, then tightened and adjusted if necessary. The checking date must be annotated in order to establish a control.

Inspections.

-Routine Inspection: A visual and functional inspection must be carried out every 3 months in order to check that the module has suffered no harm due to vandalish or mishandling.

-Yearly Inspection: A full inspection of the entire installation must be done to check that it keeps all norm standards and has suffered no alterations.

Installation.

SERIE •

Special projects

Anchored to the floor with expansion bolts. Finished with compacted material coating either continuous wet-pour rubber surfacing or rubber tiles.

playgrounds C/ Foia, 13 P.I. Alquería de Moret 46210 Picanya (Valencia) +34 963 313 677 (a)kiwi@kiwipw.com kiwiplaygrounds.com The company reserves the right to perform any modification or change in their products.



Anchoring detail

